

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form : Mixture
Product name : Iron and Fallout Remover
UFI : GJV2-S0KX-Q003-AFPT
Product code : W6
Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Intended for general public
Main use category : Consumer use
Use of the substance/mixture : Car cleaning and maintenance

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

| | |
|---|--|
| GTECHNIQ LTD Bridge Business Park Upper Heyford NN7 3FA Northampton - United Kingdom T +44 (0)1604 962 553 uk@gtechniq.com - www.gtechniq.com | GTECHNIQ POLAND Detailing Services Pory 60/42, 02-757 Warsaw T +48 500 800 639 |
|---|--|

1.4. Emergency telephone number

Emergency number : +44 (0)1933 445 260
For Chemical Emergency Call 24hr / day, 7 days / week.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

| | |
|---|------|
| Skin corrosion/irritation, Category 2 | H315 |
| Serious eye damage/eye irritation, Category 1 | H318 |
| Skin sensitisation, Category 1 | H317 |
| Full text of H statements : see section 16 | |

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS05

GHS07

Signal word (CLP) : Danger
Contains : Sodium thioglycolate; Tridecyl alcohol ethoxylate
Hazard statements (CLP) : H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H318 - Causes serious eye damage.

Iron and Fallout Remover

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--------------------------------|---|
| Precautionary statements (CLP) | : P102 - Keep out of reach of children. P261 - Avoid breathing dust, mist, spray, vapours. P280 - Wear eye protection, protective clothing, protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P310 - Immediately call a POISON CENTER or doctor. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. |
| Child-resistant fastening | : Not applicable |
| Tactile warning | : Not applicable |

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--------------------------------|--|---------|--|
| Sodium thioglycolate | (CAS-No.) 367-51-1 (EC-No.) 206-696-4 (REACH-no) 01-2119968564-24 | 10 - 20 | Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Sens. 1, H317 |
| Secondary alkane sodium salt | (CAS-No.) 97489-15-1 (EC-No.) 307-055-2 (REACH-no) 01-2119489924-20-XXXX | 1 – 10 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 |
| Tridecyl alcohol ethoxylate | (CAS-No.) 9043-30-5 (EC-No.) 500-027-2 (REACH-no) 02-2119552461-55 | 1 - 10 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |
| Sodium C14-16 olefin sulfonate | (CAS-No.) 68439-57-6 (EC-No.) 270-407-8 (REACH-no) 01-2119513401-57 | 1 - 10 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|------------------------------|--|---|
| Secondary alkane sodium salt | (CAS-No.) 97489-15-1 (EC-No.) 307-055-2 (REACH-no) 01-2119489924-20-XXXX | (10 <C < 100) Skin Irrit. 2, H315 (10 <C ≤ 15) Eye Irrit. 2, H319 (15 <C < 100) Eye Dam. 1, H318 (60 <C < 100) Acute Tox. 4 (Oral), H302 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|---|
| First-aid measures general | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation | : Allow affected person to breathe fresh air. Allow the victim to rest. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Get medical advice/attention. |

Iron and Fallout Remover

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--------------------------------------|--|
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|---|
| Symptoms/effects after inhalation | : May be irritating to the respiratory system. |
| Symptoms/effects after skin contact | : Causes skin irritation. May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : Causes serious eye damage. |
| Symptoms/effects after ingestion | : May cause irritation to the digestive tract. May be harmful if swallowed. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a doctor.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|---|
| Suitable extinguishing media | : Use extinguishing media appropriate for surrounding fire. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Special hazards arising from the substance or mixture

| | |
|--|--------------------------------|
| Fire hazard | : Not flammable. |
| Explosion hazard | : Product is not explosive. |
| Reactivity in case of fire | : Not known. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |

5.3. Advice for firefighters

| | |
|--------------------------------|---|
| Precautionary measures fire | : Exercise caution when fighting any chemical fire. |
| Firefighting instructions | : Fight fire with normal precautions from a reasonable distance. Use water spray or fog for cooling exposed containers. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|------------------|-------------------------------------|
| General measures | : Avoid contact with skin and eyes. |
|------------------|-------------------------------------|

6.1.1. For non-emergency personnel

| | |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Ventilate area. Avoid breathing fume, mist, spray, vapours. |

6.1.2. For emergency responders

| | |
|----------------------|---|
| Protective equipment | : Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Ventilate area. |

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|---|
| For containment | : Absorb spillage. |
| Methods for cleaning up | : Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). |
| Other information | : Dispose of in accordance with relevant local regulations. |

Iron and Fallout Remover

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Wear personal protective equipment.

Hygiene measures : Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight. Keep container closed when not in use. Keep away from food, drink and animal feedingstuffs.

Incompatible materials : Sources of ignition. Direct sunlight. Strong acids. Strong bases. Strong oxidizing agents.

Packaging materials : Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Ensure adequate ventilation.

Personal protective equipment:

Avoid all unnecessary exposure. PPE compliant to the recommended EN/ISO or equivalent standards should be selected.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask. Where exposure through inhalation may occur from handling or use, respiratory protection equipment is required. Exposure limits for airborne contaminants must not be exceeded.

Other information:

Do not eat, drink or smoke during use.

Iron and Fallout Remover

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------|
| Physical state | : Liquid |
| Colour | : pink. |
| Odour | : Unpleasant. |
| Odour threshold | : No data available |
| pH | : 8-8 |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : > 35 °C |
| Flash point | : > 93 °C |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Non flammable. |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : Soluble. |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

Iron and Fallout Remover

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Secondary alkane sodium salt (97489-15-1) | |
|---|--|
| LD50 oral rat | 500 – 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| LD50 oral | > 500 mg/kg bodyweight |
| LD50 dermal | > 2000 mg/kg bodyweight |

| Sodium thioglycolate (367-51-1) | |
|---------------------------------|--|
| LD50 oral rat | 504 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) |
| LD50 oral | 504 mg/kg bodyweight |
| LD50 dermal rat | 1999 mg/kg |
| LD50 dermal | > 1000 mg/kg bodyweight |
| LC50 inhalation rat (mg/l) | > 2729 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) |

| Sodium C14-16 olefin sulfonate (68439-57-6) | |
|---|-------------------------|
| LD50 oral | 578 mg/kg bodyweight |
| LD50 dermal | > 2000 mg/kg bodyweight |
| LC50 inhalation rat (Dust/Mist - mg/l/4h) | > 52000 mg/l |

| Tridecyl alcohol ethoxylate (9043-30-5) | |
|---|-------------------------|
| LD50 oral | > 500 mg/kg bodyweight |
| LD50 dermal | > 2000 mg/kg bodyweight |

| | |
|-----------------------------------|--|
| Skin corrosion/irritation | : Causes skin irritation. pH: ≈ 3 |
| Serious eye damage/irritation | : Causes serious eye damage. pH: ≈ 3 |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Additional information | : Based on available data, the classification criteria are not met |
| Germ cell mutagenicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Carcinogenicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Reproductive toxicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |

| Sodium thioglycolate (367-51-1) | |
|---------------------------------|---|
| LOAEL (animal/female, F0/P) | 40 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects), Guideline: other:Commission Regulation (EC) No. 440/2008 B.35, Remarks on results: other:Generation: P and F1 (migrated information) |
| NOAEL (animal/male, F0/P) | ≥ 80 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test) |

| | |
|------------------------|--|
| STOT-single exposure | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| STOT-repeated exposure | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |

Iron and Fallout Remover

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Sodium thioglycolate (367-51-1) | |
|-------------------------------------|--|
| LOAEL (oral, rat, 90 days) | 60 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |
| LOAEL (dermal, rat/rabbit, 90 days) | 11.25 mg/kg bodyweight Animal: rat, Guideline: other:According to the standard protocol posted on the NTP website , Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) |
| NOAEL (oral, rat, 90 days) | 20 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |
| NOAEL (dermal, rat/rabbit, 90 days) | ≥ 180 mg/kg bodyweight Animal: rat, Guideline: other:According to the standard protocol posted on the NTP website , Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) |

Aspiration hazard : Not classified
Additional information : Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Not classified

| Secondary alkane sodium salt (97489-15-1) | |
|---|---|
| LC50 fish 1 | > 1 mg/l |
| LC50 fish 2 | 8.4 mg/l Test organisms (species): Leuciscus idus melanotus |
| EC50 Daphnia 1 | 9.2 mg/l Test organisms (species): Daphnia magna |
| EC50 Daphnia 2 | 9.8 mg/l Test organisms (species): Daphnia magna |
| EC50 other aquatic organisms 1 | 9.81 mg/l waterflea |
| EC50 other aquatic organisms 2 | > 61 mg/l |
| EC50 72h algae (1) | > 61 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 72h algae (2) | > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| LOEC (chronic) | 1.6 mg/l Test organisms (species): Daphnia magna Duration: '22 d' |

| Sodium thioglycolate (367-51-1) | |
|---------------------------------|---|
| LC50 fish 1 | > 100 mg/l |
| EC50 Daphnia 1 | 38 mg/l Test organisms (species): Daphnia magna |
| EC50 other aquatic organisms 1 | 38 mg/l waterflea |
| EC50 72h algae (1) | > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |

| Sodium C14-16 olefin sulfonate (68439-57-6) | |
|---|--------------------|
| LC50 fish 1 | > 1 mg/l |
| EC50 other aquatic organisms 1 | > 1 mg/l waterflea |

Iron and Fallout Remover

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tridecyl alcohol ethoxylate (9043-30-5)

| | |
|--------------------------------|--------------------|
| LC50 fish 1 | > 1 mg/l |
| EC50 other aquatic organisms 1 | > 1 mg/l waterflea |

12.2. Persistence and degradability

Iron and Fallout Remover

| | |
|-------------------------------|----------------|
| Persistence and degradability | Biodegradable. |
|-------------------------------|----------------|

12.3. Bioaccumulative potential

Iron and Fallout Remover

| | |
|---------------------------|---------------------|
| Bioaccumulative potential | No bioaccumulation. |
|---------------------------|---------------------|

Sodium thioglycolate (367-51-1)

| | |
|---|-------|
| Partition coefficient n-octanol/water (Log Pow) | -2.99 |
|---|-------|

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|--|---|
| Regional legislation (waste) | : Disposal must be done according to official regulations. |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Product/Packaging disposal recommendations | : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. |
| Ecology - waste materials | : Avoid release to the environment. |

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA | ADN | RID |
|---|----------------|----------------|----------------|----------------|
| 14.1. UN number | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |

Iron and Fallout Remover

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

No supplementary information available

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation (648/2004/EC): Ingredient data sheet:

| Component | CAS-No. | % |
|-----------------------------------|------------|----------|
| AQUA | 7732-18-5 | ≥10% |
| SODIUM THIOGLYCOLATE | 367-51-1 | ≥10% |
| SODIUM C14-17 ALKYL SEC SULFONATE | 97489-15-1 | 1 - 10% |
| Tridecyl alcohol ethoxylate | 9043-30-5 | 1 - 10% |
| SODIUM C14-16 OLEFIN SULFONATE | 68439-57-6 | 1 - 10% |
| SODIUM LAURETH SULFATE | 9004-82-4 | 0.1 - 1% |

Detergent Regulation (648/2004/EC): Labelling of contents:

| Component | % |
|--|-------|
| anionic surfactants, non-ionic surfactants | 5-15% |

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Iron and Fallout Remover

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information : None.

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Met. Corr. 1 | Corrosive to metals, Category 1 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.